



**Prosthetics
Remove IFCAP Item Description
From 2319**

Release Notes

Patch RMPR*3*99

Version 3.0

November 2004

Table of Contents

Remove IFCAP Item Description from 2319 Release Notes	1
Patch RMPR*3*99 Overview	1
NIF IFCAP Changes in the 2319 (Roll and Scroll)	3
View Prosthetics Item Transactions (Read Only)	6
GUI 2319 Button on DOR Menu – Appliance Transactions (Tab 4)	7
GUI 2319 Button on DOR Menu - Home Oxygen (Tab 8)	9
Appendix A	11
Glossary	11

Remove IFCAP Item Description from 2319 Release Notes

Patch RMPR*3*99 Overview

Introduction

Patch **RMPR*3*99 (Remove IFCAP Item Description from 2319)** was developed for Prosthetics to provide an interim solution for the continuation of the National Item File (NIF) data cleansing effort.

On the national level, the IFCAP Item file is pulled from each facility's database and merged into a VISN database. Then the VISN's NIF team reviews the Items and edits, deletes and adds descriptions (which are considered to be the "*data cleansing*" process).

If the IFCAP Item (at the national level) was a Prosthetic Item that was changed, added or deleted, then the Prosthetic Patient Treatment Record (2319) was historically being changed to match the data cleansing changes.

Patch RMPR*3*99 prevents the Prosthetic 2319 from historically being changed when data cleansing happens. This patch protects the **PROSTHETICS ITEM DESCRIPTIONS** in our Prosthetic 2319 from being overridden when the NIF make changes to the **IFCAP DESCRIPTIONS**.

Patch RMPR*3*99 changes

Patch RMPR*3*99 affects multiple **Prosthetics Menu** options. All three types of the Prosthetics 2319 have changes including:

- 1) Roll and Scroll
- 2) Read Only Roll and Scroll
- 3) GUI 2319 from the Delayed Order Report (DOR) application.

This patch will change the Prosthetics 2319 *Appliance Transactions* and *Home Oxygen Items*, switching the **IFCAP Item Description** to the **HCPCS Description** display.

Note to IRM

There is no new .EXE file to install. All the changes are M routines and a new cross reference in File 660. The **IFCAP Item Description** will remain in the database until phase 2 of the NIF implementation.

This is the menu option name that IRM references: **RMPR VIEW 2319 READ ONLY**.

Note: Please read these Release Notes for further information.

Continued on next page

Patch RMPR*3*99 Overview, Continued

No HCPCS entered prior to 1997

Since HCPCS codes were not used prior to 1997, you will continue to see the **IFCAP Item Description** that was selected at that time. This is considered to be protected data and will not change.

Even though the **Appliance Transaction** (Screen 4) column heading displays **HCPCS** (in the Roll and Scroll), the information will continue to display the original **IFCAP Item Description** for those transactions entered prior to 1997.

Even though the GUI version of the **Appliance Transaction** (Tab 4) displays **Item** as the column header, it is actually the **IFCAP Item** for those transactions entered prior to 1997. The column heading was **not** changed to **HCPCS**.

NIF IFCAP Changes in the 2319 (Roll and Scroll)

2319 Roll and Scroll changes

Access the **Prosthetics Official's Menu** option, **Display/Print Patient 2319 (23)** to view the **Appliance Transactions** (Screen 4) or **Home Oxygen** (Screen 8). Below are the sample screens for the Roll and Scroll 2319 that were affected by the NIF IFCAP changes.

Display/Print Patient 2319 Menu (23)

Select Prosthetic Official's Menu Option: **DD <Enter>** Display/Print

23 Display/Print Patient 2319
TI Transaction Inquiry
IP Print All Prosthetic Items
BI Print Prosthetic Billings for MAS
IH Item History
SE Search for Recalled Item
SI Site Parameter Inquiry
VI Vendor Inquiry

Select Display/Print Option: **23 <Enter>** Display/Print Patient 2319

Select the patient

Select PROSTHETIC PATIENT: HHUU,UXKHUS G **<Enter>** LOMA
LINDA VAMC 6-10-31
000040707 YES 70% SC VETERAN LL/SD/
MODULE III - GIM PCP:
BHUUDZLY,IDLYH CX **ADVANCE DIRECTIVE - NO **

DEVICE: HOME// **<Enter>** VIRTUAL CONNECTION Right Margin: 80// **<Enter>**

Current Disability Codes are:
AO/DIS ALL OTHER S/C S/C

Select the Appliance Transactions (Screen 4)

Select one of the following:

- 1 PATIENT DEMOGRAPHICS
- 2 CLINIC ENROLLMENTS/CORRESPONDENCE
- 3 ENTITLEMENT INFORMATION
- 4 APPLIANCE TRANSACTIONS**
- 5 AUTO ADAPTIVE INFORMATION
- 6 CRITICAL COMMENTS
- 7 ADD/EDIT DISABILITY CODE
- 8 HOME OXYGEN ITEMS

Enter 10-2319 screen to VIEW (1-8), '^' to EXIT, or 'return' to continue : **4 <Enter>** APPLIANCE TRANSACTIONS

HHUU,UXKHUS G SSN: 000-04-0707 DOB: JUN 10,1931 CLAIM# SS

Continued on next page

NIF IFCAP Changes in the 2319 (Roll and Scroll), Continued

HCPCS Column

Notice the **HCPCS** column heading below is highlighted. This is the column of data that has been changed with Patch RMPR*3*99 to the **HCPCS Description** from the **IFCAP Item Description** (which was the **Item** column heading).

New HCPCS Column Title

Date	Qty	HCPCS	Type	Vendor	Sta	Serial	Delivery Date	Tot Cost
1. 05/29/02	1	AUTO BLOOD	I	MABIS HEAL	605		05/29/02	42.01
2. 07/26/00	1	VASCULAR G	I	BOSTON SCI	605	019579	07/26/00	99.19

End of Appliance/Repair records for this veteran!
+=Turned-In *=Historical Data I=Initial X=Repair S=Spare R=Replacement
Enter 1-2 to show full entry, '^' to exit or `return` to continue. 1 <Enter>

HHUU,UXXHUS G SSN: 000-04-0707 LOMA LINDA VAMC DOB: 99-99 -1931
APPLIANCE/REPAIR LINE ITEM DETAIL <4-1>
TYPE OF FORM: STOCK ISSUE INITIATOR: WDAADGXUI,TSHWELYDH I
DATE: MAY 29, 2002
DELIVER TO:
TYPE TRANS: INITIAL ISSUE QTY: 1 SOURCE: COMMERCIAL
VENDOR: MABIS HEALTHCARE INC
VENDOR PHONE: 800-728-6811
28690 N. BALLARD DRIVE
LAKE FORREST, ILLINOIS 60045
DELIVERY DATE: MAY 29, 2002
TOTAL COST: \$42.01 OBL:
REMARKS: *[If you type a specific note here, it appears on Screen 4 under the transaction with notes...see below.]*
DISABILITY SERVED: SC/OP
ITEM DESCRIPTION: BLOOD PRESSURE UNIT DIGITAL
APPLIANCE: BLOOD PRESSURE UNIT DIGITAL
PSAS HCPCS: A4670 AUTO BLOOD PRESSURE MONITOR
ICD-9 Code: 401.9 HYPERTENSION NOS
CPT MODIFIER:
DESCRIPTION: AUTO BLOOD PRESSURE MONITOR
EXTENDED DESCRIPTION:
AUTOMATIC BLOOD PRESSURE MONITOR
Enter RETURN to continue or '^' to exit:

The Item Description is new!!

=====➔

Remarks

If you enter a specific note in the **Remarks** field, it will be easier to locate it to identify it for future Item needs. The note displays on Screen 4 below the transaction.

Item Description / Appliance prompt

The **IFCAP Item Description** field display above is new. This is the field you should review to determine which **Prosthetic Item** was provided to the patient. You should no longer review the **Appliance** field. When the **Item Description** and the **Appliance** field are identical (as shown above), then the “new note” that is described on the next page will not appear. See next page.

Continued on next page

NIF IFCAP Changes in the 2319 (Roll and Scroll), Continued

Item Description NEW Note

With Patch RMPR*3*99, whenever an **IFCAP Item Description** has been changed, edited or deleted, you will see a new note under this field as follows:

***** See Above for Original Item Description *****

Due to the data cleansing, the **Appliance** field (which was the original Item selected) has a new description and the original description is now the **Item Description** field.

After Patch Install - Item Description with NOTE

=====>
=====>

```
TYPE OF FORM: STOCK ISSUE
INITIATOR: WDAADGXUI,TSHWELYDH I
DATE: MAY 29, 2002
DELIVER TO:
TYPE TRANS: INITIAL ISSUE      QTY: 1      SOURCE: COMMERCIAL
VENDOR:      MABIS HEALTHCARE INC
VENDOR PHONE: 800-728-6811
              28690 N. BALLARD DRIVE
              LAKE FORREST,    ILLINOIS      60045
DELIVERY DATE: MAY 29, 2002
TOTAL COST: $42.01              OBL:
REMARKS:
DISABILITY SERVED: SC/OP
ITEM DESCRIPTION: BLOOD PRESSURE UNIT DIGITAL
*** See Above For Original Item Description ***
APPLIANCE: BLOOD PRESSURE CUFF DIGITAL
PSAS HCPCS: A4670      AUTO BLOOD PRESSURE MONITOR
ICD-9 Code: 401.9      HYPERTENSION NOS
CPT MODIFIER:
DESCRIPTION: AUTO BLOOD PRESSURE MONITOR
EXTENDED DESCRIPTION:

AUTOMATIC BLOOD PRESSURE MONITOR

Enter RETURN to continue or '^' to exit:
```

Example above

To interpret the example above, the original **Item Description** was “*Blood Pressure Unit Digital.*” Due to data cleansing, the description was changed to “*Blood Pressure Cuff Digital.*”

The **Appliance Field** was changed to the new description: “*Blood Pressure Cuff Digital*” and the original or saved description appears in the new field: **Item Description**.

View Prosthetics Item Transactions (Read Only)

“Read Only” patch change

The change with Patch RMPR*3*99 that was previously explained also affects the Roll and Scroll version of Prosthetics and provides the following new (Read only) menu option:

View Prosthetics Item Transactions

Below is a sample screen.

View 2319 (Read Only)

```
Select OPTION NAME: VIEW PROSTHETICS ITEM TRANSACT <Enter>  RMPR VIEW 2319
READ ONLY

View Prosthetics Item Transactions

SITE: SUPPORT ISC//  <Enter>                                578A5

Select PROSTHETIC PATIENT: PROSpatient, ONE <Enter>        SUPPORT ISC        4-5-61
0001111111
    YES        SC VETERAN

PATIENT IS DECEASED. DATE OF DEATH WAS OCT 21,1993@08:00

Would you Like to continue Processing this Patient? NO// YES <Enter>

DEVICE: HOME// <Enter>  TELNET    Right Margin: 80// <Enter>

    Select one of the following:

        I        ITEM TRANSACTIONS
        H        HOME OXYGEN ITEMS

Enter DATA screen to VIEW (Item Transactions or Home Oxygen), '^' to EXIT, or
'return' to continue :
```


GUI 2319 Button on DOR Menu – Appliance Transactions (Tab 4)

Delayed Order Reports (DOR)

The **GUI 2319 Appliance Transactions (Tab 4)** window from the Delayed Order Report (DOR) below shows the heading: **Item** column; however this information is now the **HCPCS Description** with Patch RMPR*3*99.

The column heading **Item** will not be changed to **HCPCS**.

Appliance Transactions (Tab 4)

Date	Qty	Item	Typ	Vendor	Station	Serial	HCPC	Total Cost
12/17/03	1	LATERAL TROCHANTERIC PAD	I	Orthomeric	605		L1290	134.50
12/17/03		SHIPPING	X	Orthomeric	605			50.00
08/22/03	1	OTHER ACCESSORIES	I	SUNRISE ME	605		K0108	35.89
07/22/03	1	OXYGEN CONCENTRATOR	I	RESPIRONIC	605	0298AZ1862	E1390	1994.85
01/28/03	1	DME DELIVERY,SET-UP	X	Home Care	605		A9901	72.15
01/27/03	1	STANDARD WHEELCHAIR	I	SUNRISE ME	605	2050208625E	K0001	161.02
01/09/03	1	DME DELIVERY,SET-UP	X	LOMA LINDA	605		A9901	108.75
01/09/03	1	DME DELIVERY,SET-UP	X	Home Care	605		A9901	72.15
01/09/03	1	BATH/SHOWER CHAIR	I	INVACARE C	605		E0240	12.06
01/09/03	1	WAIST BELT	I	NORTH COAS	605		L2190	10.50
01/09/03		SHIPPING	X	NORTH COAS	605			9.95
01/08/03	1	PATIENT LIFT SLING OR SEAT	I	INVACARE C	605		E0621	63.19
01/08/03	1	PATIENT LIFT HYDRAULIC	I	INVACARE C	605	02L368416	E0630	543.21
01/08/03	1	DME DELIVERY,SET-UP	X	Home Care	605		A9901	72.15
12/30/02	1	MATTRESS INNERSPRING	I	Home Care	605		E0271	270.00
12/27/02	1	LIGHTWEIGHT WHEELCHAIR	I	INVACARE C	605		K0003	298.03
12/27/02	1	GEL PRESSRE PAD/CUSHION NONP	I	ALIMED	605		E0178	54.75
12/27/02	1	DME DELIVERY,SET-UP	X	Home Care	605		A9901	72.15
12/27/02	1	DME DELIVERY,SET-UP	X	Home Care	605		A9901	72.15
12/27/02	1	DME DELIVERY,SET-UP	X	Home Care	605		A9901	72.15
12/27/02	1	HOSP BED SEMI-ELECTR W/ MATT	I	INVACARE C	605	89002L35456	E0260	575.21

Next Step

Click the **View Detail** button at the bottom of this window to display the **Appliance Transaction Detail** window and proceed to the next page.

Continued on next page

GUI 2319 Button on DOR Menu – Appliance Transactions (Tab 4), Continued

Appliance Field The **Appliance** field listed in the **Transaction Detail** window below is protected from changes to IFCAP (from the NIF group's data cleansing).

The example below, "Wheelchair 9000XT 18-inch" in the **Appliance** field will remain the same with Patch RMPR*3*99.

Note: The **Appliance** field below will always display the originally selected **IFCAP Item Description**. The new "**Item Description**" field in Roll and Scroll and the new note "*See Above...*" is not necessary in the GUI 2319. This is because the GUI 2319 **IFCAP Item Description** will always be displayed and protected from changes.

**Transaction
Detail window**

The screenshot shows the 'Transaction Detail' window with the following sections:

- Appliance Item**:
 - Appliance: w/WHEELCHAIR 9000XT 18-INCH
 - Description: 9000XT 18" Recliner w/wheelchair
 - HCPCS: K0003 Qty: 1
 - HCPCS Desc: LIGHTWEIGHT WHEELCHAIR
 - ICD-9 Code: 203.00 CPT Modifier: NU Disability: ISC/OP
 - Invent Point:
 - Source: COMMERCIAL
 - Deliver To: mk medical Completion Date: JAN 08, 2003
 - Recv Sta:
 - Return Stat:
 - Remarks:
- Lab**:
 - Order #:
 - Completed:
 - Tech:
 - Lab Cost:
 - Material Cost:
 - Labor Hrs:
 - Labor Cost:
 - Ortho Code:
 - Restor Code:
- Lab Remarks**:
 - Remarks:
- IFCAP Vendor**:
 - Name: INVACARE CORP
 - Add: 899 CLEVELAND ST
 - City: ELYRIA
 - State: OHIO Zip: 44036-2125
 - Phone: 800/642-8262
 - Track #:
- Historical Data**:
 - Name:
 - Add:
 - City:
 - State: Zip:
 - Phone:
 - Item:
 - Station:
- Extended Description**:
 - w/Swingaway Foot rest, Composite footrest, Std caster, Black, Adjustable Desk Arm
- Date**: DEC 27, 2002
- Transaction**: P35971
- Type Trans**: INITIAL ISSUE
- Form Type**: VISA
- Initiator**: wDAADGXUI,TSHWELY
- Site**: LOMA LINDA VAMC
- Bank Auth**:
- Total Cost**: \$298.03
- Close** button


Close button To close the **Transaction Detail** window and return to the **View 2319** window, click the **Close** button.

GUI 2319 Button on DOR Menu - Home Oxygen (Tab 8)

Home Oxygen (Tab 8)

The 2319 in the Delayed Order Report (DOR) shown below of the **Home Oxygen (Tab 8)** window shows the **Item** column which is the **HCPCS Description** with Patch RMPR*3*99.

Home Oxygen window



Date	Qty	Item	Typ	Vendor	Station	Serial	HCPC	Total Cost
01/15/04	1	PORTABLE GASEOUS O2	X	IVR Homehe	605		E0431	50.00
12/22/03	1	OXYGEN CONCENTRATOR	X	IVR Homehe	605		E1390	83.00
12/22/03	1	PORTABLE GASEOUS O2	X	IVR Homehe	605		E0431	50.00
11/14/03	1	OXYGEN CONCENTRATOR	X	IVR Homehe	605		E1390	83.00
11/14/03	1	PORTABLE GASEOUS O2	X	IVR Homehe	605		E0431	50.00
09/03/03	1	OXYGEN CONCENTRATOR	I	IVR Homehe	605		E1390	49.80
09/03/03	1	PORTABLE GASEOUS O2	I	IVR Homehe	605		E0431	30.00
09/03/03	1	OXYGEN CONCENTRATOR	I	IVR Homehe	605		E1390	83.00
09/03/03	1	PORTABLE GASEOUS O2	I	IVR Homehe	605		E0431	50.00

View Detail button

Click the **View Detail** button at the bottom of this window to display the **Home Oxygen Detail** and proceed to the next page.

Continued on next page

GUI 2319 Button on DOR Menu - Home Oxygen (Tab 8),

Continued

Home Oxygen (Tab 8) Transaction Detail

Notice the **Appliance** field on the **Transaction Detail** window from the **Home Oxygen (Tab 8)** remains the same, even when changes are made to the NIF IFCAP Item Description.

Note: The **Appliance** field below will always display the originally selected **IFCAP Item Description**. The new “**Item Description:** field in Roll and Scroll and the new note “*See Above...*” is not necessary in the GUI 2319. This is because the GUI 2319 **IFCAP Item Description** will always be displayed and protected from changes.

Transaction Detail

The screenshot shows the 'Transaction Detail' window with the following sections:

- Appliance Item**:
 - Appliance: RENTAL MONTHLY PORTABLE OXYGEN SYSTEMS
 - Description:
 - HCPCS: E0431 Qty: 1
 - HCPCS Desc: PORTABLE GASEOUS O2
 - ICD-9 Code: CPT Modifier: RP Disability: ISC/OP
 - Invent Point:
 - Source: COMMERCIAL
 - Deliver To: Completion Date: JAN 24, 2004
 - Recv Sta:
 - Return Stat:
 - Remarks:
- Lab**:
 - Order #:
 - Completed:
 - Tech:
 - Lab Cost:
 - Material Cost:
 - Labor Hrs:
 - Labor Cost:
 - Ortho Code:
 - Restor Code:
- Lab Remarks**:
 - Remarks:
- IFCAP Vendor**:
 - Name: IVR Homehealth Equipment
 - Add: 935 S. Milliken Ave Ste. B
 - City: Ontario
 - State: CALIFORNIA Zip: 91761
 - Phone: 8006420522
 - Track #:
- Historical Data**:
 - Name:
 - Add:
 - City:
 - State: Zip:
 - Phone:
 - Item:
 - Station:
- Extended Description**:

A black arrow points from the 'Transaction Detail' text to the 'Appliance Item' section of the window.

Appendix A

Glossary

DOR	Delayed Order Report – Prosthetics application.
------------	---

GUI	Graphical User Interface. This is a windows-based application with buttons and tabs instead of prompts in a Roll and Scroll environment for an application. Microsoft Windows is a GUI environment.
------------	---

HCPCS	Healthcare Common Procedure Coding System – formerly Health Care Financing Administration Common Procedures Coding System - is distributed by Centers for Medicare & Medicaid Services (CMS) and the Health and Human Services (HHS) for all other substances, equipment, supplies, or other items used in Health Care Services. These items include, but are not limited to: medical supplies; orthotic and prosthetic devices; and durable medical equipment.
--------------	---

NIF	<p>The National Item File (NIF) database is used to standardize naming practices so that facilities will be able to identify, track and evaluate purchases.</p> <p>The NIF is also a group that works on this database file.</p>
------------	--

VistA	Veterans Health Information Systems and Technology Architecture, formerly known as Decentralized Hospital Computer Program, encompasses the complete information environment at VA medical facilities. It consists of hardware, software packages, and comprehensive support for system-wide and station specific, clinical and administrative automation needs.
--------------	--
